

Collaboration support for 3D and 4D models: A pedagogical experiment with wooden construction

Veronika Bolshakova,

UMR n°3495 Modèles et simulations pour l'Architecture et le Patrimoine Centre de
Recherche en Architecture et Ingénierie – MAP-CRAI, ENSAN, Nancy, France;
Centre National de la Recherche scientifique – CNRS, France
(email: bolshakova@crai.archi.fr)

Gilles Halin,

UMR n°3495 Modèles et simulations pour l'Architecture et le Patrimoine Centre de
Recherche en Architecture et Ingénierie – MAP-CRAI, ENSAN, Nancy, France;
Université de Lorraine, Nancy, France

Annie Guerriero,

Luxembourg Institute of Science and Technology – LIST, Esch-sur-Alzette, Luxembourg
Franck Besançon,

UMR n°3495 Modèles et simulations pour l'Architecture et le Patrimoine Centre de
Recherche en Architecture et Ingénierie – MAP-CRAI, ENSAN, Nancy, France;
École Nationale Supérieure d'Architecture de Nancy – ENSAN

Abstract

Through this research, we review a two-year pedagogical experiment to highlight the necessary specifications and to continue to progress towards a proposition of a new collaboration and decision-making support, well adapted to the needs of Architecture Engineering Construction. This paper presents observations from a pedagogical experiment on synchronous collective decision-making by users via digital project documents on a touch table. The experiment offers a unique context for our research on multidisciplinary collaboration observations and for 3D or 4D model use studies. Our experiment aims, first, to survey the user-perceived utility of such digital support with natural user interactions and collate suggestions for improvements to the support. For the research, both individual and group perceptions are important. Second, we describe a decision-making session actors' activity and interactions. The results will contribute to the design a collaborative decision-making support.

Keywords: Synchronous collaboration, Pedagogical experiment, CSCW, Decision-making with 3D and 4D, NUI

1. Digital collaboration

Team meetings and collective decision-making (DM) have always been a part of construction project development, where multidisciplinary cooperation requires a significant effort from project stakeholders (Staub-French & Khanzode, 2007). For several decades, project development has used digital tools and Building Information Model (BIM) as common instruments (Kensek, 2014). Project teams use BIM as an information source for DM, thus they need an efficient digital collaboration environment (Achten, 2002), with quality interactions (Tory, Staub-French, Po, & Wu, 2008).

Professionals and academia continue their research for better ways to collaborate and to manage projects more efficiently (Oxman, 2008). Following this global dynamic, pedagogical experimentation needs to progress in step with the industry (Pikas, Sacks, & Hazzan, 2013). Academia is well positioned to develop new methods of innovation, knowledge growth and transmission of practices, in addition, it provides a good context for experiments.

This paper summarizes a pedagogical experiment on synchronous collective decision-making with a digital support for visualization and project documents interactions: a multi-touch table with the collaboration software “Shariing”¹ by Immersion². This paper is a part of an international research project 4D Collab³. Project team is composed of research partners and industry partners (including Immersion). The project aims to the design a new collaborative 4D-based decision-making support.

The section 2 of the paper overviews the pedagogical context of experiment, provides specifications for the Digital Collaboration Table (DCT) and describes Digital Collaboration Sessions. It concludes with a description of the experiment feedback collection methods. The next section presents main findings on DCT usability scores by different user categories, and their suggestions for the collaboration support improvements. Finally, the feedback results are emphasized in discussion section, and followed by experiment conclusion and future perspectives section.

2. Overview of the experiment context and methods

2.1 Main experiment steps

The *digital collaboration pedagogical experiment* (the experiment) introduced a digital support for weekly meetings on project progress. Such support has to offer a homogenous interface for all project documents to avoid software switching. Also, it must offer democratic interactions, such as used in natural user interfaces, along with ease of learning for participants as well.

The experiment had two Phases, the Phase 1 in 2018 and the 2 in 2019 (Fig.1). The Phase 1 of the experiment was conducted for the Wood Challenge⁴ (Section 2.2) exercise in 2018, the Step 1 was Wood Challenge, design and construction phases, and Step 2 was collection of the users feedback and the adjustments to the collaboration sessions (Section 2.3). The feedback showed the utility of digital collaboration technology and suggested ways for next year improvements. In Phase 2, as Step 0, with the aim of training all the students to be efficient with a digital collaboration table during the upcoming Wood Challenge 2019, the table was introduced to them in the 1st semester for a Design Project. Steps 1, 2 have followed to conclude the 2nd phase of the experiment. Figure 1 illustrates the main steps.

The pedagogical experiment results will contribute, together with professionals’ collaboration experiments (not covered by this paper), to design with 4D Collab a new collaboration tool.




Figure 1: Schema of the digital collaboration experiment steps

2.2 Pedagogical exercise: ‘Wood Challenge’

Every year, at ENSTIB⁵ Engineering School of Wood Technologies and Industry, the “Architecture, Wood, Construction”⁶ postgraduate program launches a pedagogical design and construction exercise called “Wood Challenge”⁷. The challenge’s main tasks are to design and then build, in teams, a small project with a wooden structure (Fig. 2). Hence, it encourages students to foresee possible problems with their design choices, and to anticipate the answers to construction problems.

¹ <https://www.shariing.com/>

² <https://www.immersion.fr/>

³ <https://www.4dcollab-project.eu/>

⁴ Original French Défis du Bois (<http://www.defisbois.fr/>)

⁵ École Nationale Supérieure des Technologies et Industries du Bois (<http://www.enstib.univ-lorraine.fr/fr/>)

⁶ Orig. Fr. «Architecture Bois Construction» (<http://www.nancy.archi.fr/fr/master-genie-civil-1.html>)

⁷ Orig. Fr. Défis du Bois (<http://www.defisbois.fr/>)

The students work in multidisciplinary teams, comprising of an architect, a wood structural engineer and a civil engineer. Also, every team has two additional members: a wood construction professional and an exchange student in architecture or engineering. The diversity of the team emphasizes the importance of efficient communication and collaboration to the students.

All teams work on a defined project type, which varies every year with the same deadline and technical requirements (quantity of materials, structural elements, tools, etc.). Once the design and pre-construction preparations have been completed (6-7 weeks in the beginning of the winter semester), the teams then proceed to construction (1 week in May). The projects are fabricated and assembled on campus. They must not exceed a surface of 15m² and a height of 3.8m, and have no more than 10 disassembled modules or elements in order to fit into a truck for transportation to the project installation site. The restricted construction time and added competition element fosters students' abilities to foresee many construction organizational aspects and see optimization for the project design and construction.



Figure 2: Examples of Wood Challenge projects

2.3 Description of the Digital Collaboration Table

Teachers and students weekly gathered around a digital collaboration table (DCT) for project review meetings. The DCT's main element is a multi-touch screen (46" HD, infra-red touch recognition frame), which is embedded in a wooden table frame (Fig. 3). The screen is connected to a PC running "Shariing" software, a multiuser collaboration environment by "Immersion".




Figure 3: Digital Collaboration Session with Shariing Research: a,b annotation of façade detail, c. 3D section visualization and discussion

The use of the environment at project meetings allows: 1) to visualize construction project documents (plans, sections, 3D models, schedules, quantifications, etc.), 2) to share the same view even being on different sides of the table 3) to manipulate the documents with touch gestures ("move", "pinch", "zoom", "drag", "click"), 4) to annotate temporarily, permanently (Fig. 3), 5) to sketch.

The software versions were "Shariing Research" (Fig. 3) and "Shariing Advanced"⁸ (Fig. 4). The principle of use is the same for these versions, the Advanced version's interface is more minimalist and offers more fluid interactions, and 3D models visualization is offered with the screen sharing.

For now users may only save an annotation on a project document as a new 2D image (screenshot). With Shariing Research, the 3D model (.ifc, .obj) visualization and fluid interactions are possible, but it does not allow access to the model hierarchy. However, DCT offers visualization and touch

⁸ Shariing specifications and functionalities <https://www.shariing.com/data/documentation/Shariing%20specifications.pdf>

interactions with a distant user. Thus, when using Shariing Advanced, it is possible to share a view from a BIM viewer or design software (e.g., Archicad, Cadwork, Nawisworks, etc.) directly to the collaboration environment, and to keep natural interactions and simple annotations (Fig. 4). Further, our research aims to better adapt the above mentioned functionalities to AEC needs.

In addition to some current software limitations, we must acknowledge the equipment limitations, such as the screen size and resolution, and team's collaboration methodology.




Figure 4: Digital Collaboration Session with Shariing Advanced, interactions with 3D models

2.4 Digital Collaboration Sessions (DCS) description

The session's main purpose was project review, starting with a brief presentation by the students of their progress to the professors. An architect, a structure engineer and a construction specialist were representing the pedagogical participants of DCS. The choice of the present professionals depended on the session purpose and on the project progress stage. They provided professional expertise and also represented a project client.

For the Wood Challenge 2019, the mean session durations were augmenting with the project progress: 19 min in the beginning, 28 min in the end. In general minimum session duration was 13 minutes through all project progress, and maximum session time was also augmenting from 29 min for the first session to 53 min to the last one (Fig.8). For Wood Challenge 2018, mean DCT duration was 23 min with max of 37 min and min of 18 min.

For Wood Challenge 2018 the design and construction subject was a pavilion⁹ for a botanical garden in Nancy, France. From the 10 student teams, only 2 teams were using the DCT for their weekly meetings (Digital Collaboration Sessions) with the pedagogical team members during the Design phase. Both of these teams were using plans, sections, rendered images, quantifications and 3D models for design development and value engineering at the meetings (Fig. 5a). Only one team prepared a 4D model (Navisworks screenshot Fig. 5c, build structure Fig.2a). However, during the construction, the students preferred to rely mostly on printed project documentation. The 4D model was consulted only once a day by one member of the team (construction management role) for a better understanding of the assembled details and for monitoring of the progress according to the schedule.

Together with the feedback (Sections 3.1, 3.2) on DCT improvements for AEC needs, students and professors suggested for the next year to introduce the DCT before the challenge. Thus, the table was used during autumn semester to work on a design project (reconstruction of an industrial site for student housing, residential buildings and a kindergarten) (Fig. 3). The teams had time to get experience with digital support for their weekly meetings, and to become independent users for their Wood challenge. However, not all of the sessions' participants had an equal amount of time to interact with the document due to a larger number of participants. Also, 4D simulations were introduced to the students, and some of them decided to integrate them into the final project folder (digital) along with the project plans, sections, 3D model, calculations and quantifications. Table1 synthesizes elements of DCS organization.

Finally, after training with the Design project, all the teams of Wood Challenge 2019 were using DCT for their weekly meetings with the pedagogical team during the Design phase of the challenge project (Fig.6). A new version of collaboration software (Shariing Advanced) was installed on the DCT, to answer students requests for more familiar to them 3D models view (from their personal 3D

⁹ Pavilions "Ligne camera" <http://www.defisbois.fr/editions/edition-2018-ligne-camera/>

modeling software interfaces) (Fig.6a,b), and requests for more fluid interactions. All the teams were using a 3D model as a main discussion support. During the 2 final sessions, 5 student teams used 4D simulations (Fig.6d) to illustrate a construction sequence and logics for the elements of the project.

Table 1: Digital Collaboration summary for Wood Challenge 2108 and 2109, for Design Project

| | Wood Challenge 2018 | Design Project | Wood Challenge 2019 |
|--|---------------------|----------------|---------------------|
| Project design weeks / construction weeks | 6/1 | 12/- | 6/1 |
| Digital collaboration sessions (DCS) number | 3 | 4 | 4 |
| All Student teams / Teams participating in DCS | 10/2 | 5/5 | 10/10 |
| Number of Teams using 3D / 4D (at DCS) | 2/- | 5/2 | 10/5 |
| Participants per one DCS Students + Professors | 3 + 2 or 3 | 5 + 2 or 3 | 3 + 2 or 3 |



Figure 5. a. Collective decision-making at Design phase in 2018 b. 3D model review at Construction phase c. 4D simulation for one module assembling length estimation and progress monitoring




Figure 6: 2019, Examples of interactions: a. 3D visualization and sketching on background b. 3D model manipulation and pointing c. rendered images review and sketching d. plans, sections, 4D simulation visualization e. section permanent annotations f. background sketching

2.5 Research questions

Naturally, every construction project is unique. A stakeholders team collaboration strongly depends on a project type. Their synchronous collaboration and decision-making depend meeting types, which require specific to the meeting objective documents and access to group interactions. In order to design a collaboration support tool with a well-adapted to AEC users interface and collaboration method. For this paper, we aimed to evaluate a presided usability and learnability of the digital collaboration

support and to emphasize advantages and current limits of such tool through the users feedback. In addition, the experiment aimed to highlight user's needs for a better interactions with digital project documents, listed by document types. The feedback on perceived role of 3D and 4D models at construction planning discussions on the pre-construction phase.

Also, for this paper, with DCS observations, we aimed to better portray decision-making dynamics and main aspects, such as: time of the session, documents used for discussion, interaction gestures and decision-making point. The DCT influence on pedagogy is in the scope of the interest as well. In addition to this paper, the research aimed to measure group collaboration and technology acceptance.

2.6 Feedback collection tools

The session's interactions were documented with video cameras and the table screen records. Also, participants' feedback was collected through a custom-built questionnaire and semi-guided interviews. Figure 7 resumes main feedback collection sources.

The first part of the questionnaire offered to session participants is to fill up the System Usability Scale (SUS) (Brooke, 1996) which is composed of ten traditional items to note on a Likert Scale. The scale is a free and quick tool to measure the system usability, however it provides quite reliable results to measure usability and learnability (Sauro & Lewis, 2011)(Brooke, 2013).

Accompanying the SUS scale, earlier, for feedback collection from similar digital collaboration experiments with professionals, the 4D Collab team also included open answer questions on usability. The question allowed to collect more complex feedback from the AEC professionals following the SUS first part of the questionnaire. To stay in correlation with the previous experiment records, the same questions follow the SUS part of the questionnaire for our pedagogical experiment feedback. Additional questions on 3D, 4D and planning complete this second part. The semi-guided interviews about DCT usability and requirements, specific to the AEC, complete this part of the feedback.

Also, the questionnaire for the student teams contained parts on group reflexivity (Carter & West, 1998), a Technology Acceptance Model 3 (TAM 3) (Venkatesh & Bala, 2008) and a 4D BIM uses evaluation, however their results are not covered by this paper.



Figure 7: Summary of the feedback collection steps for the pedagogical experiment

3. Findings summary

3.1 SUS score and usability feedback

In total we have collected a SUS from 9 users at Phase1 in 2018, and from 29 users in 2019 at Phase 2. With two main categories of population: students and professors; and one subcategory for the students by the studies background: architects, wood and civil engineers.

The feedback for the Wood Challenge 2018 emphasized the SUS score for all users (students and professors) as a mean score of 75 points (on a scale from 0 to 100, passing range starting from 68). Thus, according to a Rating Score summarized by Bangor et al. (Bangor, Kortum, & Miller, 2009), this result would be: rated as “good” in adjective ratings; filling into “acceptable” acceptability ranges; corresponds to a letter note “C”. Also, in 2018, the professors mean score of 75.83 is slightly higher than the score from the students, at 74.58, but it stays relatively close to the students and All participants (see Table 2). Regarding the study domains (subcategory), the architecture students gave a much higher score than wood structures engineers. To summarize, these scores may be interpreted that in general, 2018 users are rather pleased with Digital Collaboration table, and find it usable and highly intuitive.

As of 2019 the mean SUS score for all users is 61.12. According to the Rating Score, this number is rated as “D”, and being between “OK” and “Good” in adjective ratings. It is much lower than in 2018, and has a significant deviation. The professor result was a little higher than a year before, at 79.5, and it was very different from the student score of 56.87. The professors already had some experience with

the Digital Collaboration table a year before and, even with updates, they still felt confident in the given score. However, in 2019 more student teams have participated at DCS than the year before, and not only those most open to innovation and digital collaboration, which has influence on technology acceptance in general. The students also had twice as many sessions with the DCT than their predecessors, and thus had a long-term and multiple uses perspective. As before, the architecture students gave a higher score than the engineers. The SUS scores are summarized in Table 2.

Table 2 Summary of SUS scores for digital collaboration table by project roles

| | | All participants | Students | Professors | Architects | Wood Engineers | Civil Engineers |
|------|------------|------------------|----------|------------|------------|----------------|-----------------|
| 2018 | Mean Score | 75 | 74,58 | 75,83 | 78,13 | 67,5 | - |
| | Deviation | 6,96 | 8,12 | 5,2 | 4,73 | 10,60 | - |
| | Count | 9 | 6 | 3 | 4 | 2 | - |
| 2019 | Mean Score | 61,12 | 56,88 | 79,5 | 59,17 | 56,67 | 53,75 |
| | Deviation | 15,71 | 13,77 | 10,37 | 11,18 | 18,16 | 11,15 |
| | Count | 29 | 24 | 5 | 9 | 9 | 6 |

Besides the abovementioned scores by users categories, there are additional scores. Most of the participants (79% with score 69,33) have confirmed that, in general, with the DCT they could perform their actions well (with no obstacles) during collaboration sessions. As for the participants who did not say that they could execute their intentions well (score 42.5, max 47.5), they would give most often mention that session discussion is very animated and they did not have enough time (or quick enough reflexes) to quickly visualize the documents they wished to use as the discussion support. Some of them mention that they prefer to use a pen and paper for decision-making.

Besides, the active users of CAD give slightly higher SUS scores than others, but the experienced 3D model users tend to give higher scores (76) than less experienced users (55). The participants with more field experience also tend to give a higher score (76) than others with less than 2 years of experience (59,8). Despite some low SUS scores from users, the added open questions (Section 3.2) portray a positive experience, and show again a good usability of DCT.

Despite the low number of participants, we analyzed the data statistically. First, in any group larger than 8 we verified whether the score distribution was normal with two tests: Shapiro-Wilk (SW) and D'Agostino's K^2 (DAK²). None of the scores given by architects, engineers, professors, all respondents together violate the normality assumption (in SW p-value ranging from 0.196 to 0.647, W from 0.94 to 0.96; in DAK² p-value ranging from 0.268 to 0.521, K^2 from 1.30 to 2.64). However, since normality tests are of little power on small size samples, for investigating the similarities and differences between the groups, we did not restrict ourselves to parametric tests (T-test; whether the variance was same or not, decided by an F-test for equal variances - always different in our case), but also carried out two non-parametric ones (Kolmogorov-Smirnov (KS) and Mann-Whitney (MW)) (Fig. 8).




Fig. 8: the schematic representation of similar and different respondent groups by T-test, KS and MW tests: A - architects, E - engineers, C - civil engineers, P - professors. A continuous line: the scores are consistent with the hypothesis that the two groups come from the same distribution, according all three of the tests. A disagreement between some of the tests makes it a dotted line. The absence of a line signifies that all tests reject the null hypothesis and conclude that the populations are significantly different.

The professors group, P, who gave the highest scores, stands out from the others: their scores are statistically significantly different from those of C and E, who gave the lowest scores (p-value < 0.01 in all tests). The group that resembles P the most is the architects (A), who came out to be similar to them in the first edition of the study (p=0.580 in T-test, 0.961 in KS and 0.500 in MW test; the statistics t=0.60, F=0.33, U=5.50 respectively) and different in the second one (p-value < 0.05 in all tests, t=-3.92, F=0.80, U=1.50), bringing about mixed results when taken together (different according to T-test and MW, p<0.01, and not dissimilar according to KS, p=0.072,). The pairs A and E and C and E are consistent with the assumption that the respondents' scores come from a same population. Groups A

and C are close to conforming to the similarity hypothesis but not unanimously (similar according to MW, $p < 0.05$, $U = 19.00$, and different according to T-test and KS, $p = 0.079$ and 0.059 , $t = 1.93$, $F = 0.60$).

3.2 Summary of feedback and interviews

In general, session participants (users) find the DCT very ergonomic for meetings, it unites well the documents in single environment and allows shared views of the same document for everyone around the table. Thus it allows better understanding and fosters collaboration and exchanges at the meeting. Also users mention a “playful aspect” by DCT, which is creating more informal setting to a meeting.

As for document transfer to the table, at the meeting users were glad to use quick wireless file drop to the table from their laptops to bring the last minute modifications version to discussion. Some users said that digital support for the documents requires a better meeting preparation, and curiously, saw this aspect not as a disadvantage, but as an advantage which would help them to be more efficient in preparation to a meeting. However, in the beginning of the meeting, when all the documents were just appearing on the screen, it was hard for a presentation speaker to keep attention of everyone on the same document. Thus, to keep focus the collaboration environment should better contain the most relevant to the discussion purpose documents.

Visualization quality is the first of the more often mentioned benefits of the DCT, especially for 3D. Many users found a large screen to be a good support for visualization of detailed large documents (plans, sections, details, etc.), especially their review in a full-screen mode. They highlight a collective aspect of the visualization and possibility to zoom in details quickly.

PDF files visualization was qualified as fluid, which was very important to review a project folder. But the most accent was given by users to the benefits for 3D models visualization on a large screen with shared views. Indeed, according to observations a 3D model was always in the center of the discussion. In addition, users were glad to be able to share their laptop screen with a 3D or 4D model opened in their muddler (Archicad, SketchUp, Cadworks, Rhino, Navisworks) directly, without need to export to another file formats.

Accessibility of interactions with documents is the second more often mentioned benefit of the DCT. Users have noticed a progress on fluidity of actions at the latest version of the software. Users appreciate to be able to zoom in on a detail and then highlight problems with temporary or permanent annotations to explain them to others, or even to annotate simultaneously with their colleagues. A manageable 3D model navigation is also mentioned as one of the beneficial and essential interactions.

Many suggestions on DCT improvements were concerning *annotation and drawing functions*. More than a third part of the experiment participants described the current drawing precision (line thickness, touch precision) as marginal, therefore they preferred to double a sketch made on a detail of the façade for example on a paper for a better precision. Some suggested to provide users with styluses.

Since 3D models were in the heart of most of the exchanges, many suggestions and critique were received about *3D visualization and navigation*. For example, a few users stated the it is harder for them to understand or interact with 3D models and they prefer 2D documents, suggesting to replace 3D navigation with necessary views screenshots, to avoid the need to set a point of view. When students were sharing their screens with 3D models (in the professional software) with table, some have noticed delays between manipulation (move, zoom, rotate) and model response time. Thus a more efficient way to share screens is to be developed and a better preparation protocol of 3D models, which must be run on a performant laptop, is to be identified.

The users also highlighted a *difficulty of finding the right documents* and also a need to stay connected to their project cloud services, to be able to have an easy access to all the documentation directly, without downloading them into the session.

The session *results and feedback formalization* tool and “tasks to do” before the next meeting tool were also requested to organize better the decision-making, and document decisions in a more detailed way than 2D annotated documents.

Most of the users state that 3D visualizations are useful for decision-making on design development or value engineering. They have also agreed that 4D improves understanding of planning problems and is a useful asset for a collective decision-making on scheduling or construction strategies.

3.3 Digital Collaboration Session activities

We distinguish three main levels of interactions with DCT: visualization, manipulations, annotations. Users may visualize 2D documents, 3D or 4D models. They may manipulate the Shariing windows with: move, pinch, rotate. Inside the sharing windows visualizing the documents, “zoom” manipulation is also possible, aside with annotations (drawing): temporary (disappearing), permanent. Also DCS participants had access to sketching on background (Fig.6f) and notebooks and pens. Naturally, users accompany their session with discussion (verbal communication), pointing, and mimicking gestures.

The major use of the DCT was visualization (Fig.6c,d), accompanied by users discussion and pointing gestures (Fig.5a,6b). Model manipulations were mostly used for project presentation and to fix a point of view to annotate a solution. Sketching and annotations (Fig.6a,e,f) were used to support a solution proposition and suggest modifications, however not every session benefited from annotation function. Since the duration of manipulations and annotations is lower than visualization, we will count the “actions” to resume the activities appearances (Fig.9).

The DCS duration depended mostly on a project design and technical solutions quality, accordingly teams presenting only 2D documents, or only 3D model, or 3D and 4D models did not show shorter time depending on represented document types. As a main support for decision making and discussions participants privileged 3D model. They have also tended to solve all the questions with only one document (2D or 3D) (see Fig. 9 for sources of the shared views on the models from students laptops to Shariing Advanced). Most of the times, a decision was made in the middle of the session, and was followed by additional suggestions on design or engineering. 4D models were used only in the beginning of the meeting to visualize construction sequence logics, but further discussion was supported by a 3D model due to better interactions with it.




Figure 10: Information sources for DCS No 1-4 for Wood Challenge 2019 (shared views from laptops for 3D and 4D)

4. Conclusions

This paper summarizes pedagogical experiment on synchronous collaboration at project review meetings with digital support (Digital Collaboration Table - DCT). The experiment context of pedagogical exercise Wood Challenge was an opportunity to follow collaboration of student teams and professors from the design to construction and to assist at weekly project review meetings with DCT.

Such context, allowed to evaluate DCT usability and learnability from active and regular user perspective in case of a real construction project (small wooden structure). Also, the paper highlighted user interactions with digital project documents during their collaboration sessions, in particular 3D and 4D model interactions. The analyzed user activities at collaboration session showed that 3D models are easily in the middle of the discussion, thus must have the most fluid interactions, and the DCT must provide not only the 2D annotations but also to be able to leave BIM model annotations.

The Digital Collaboration Table represents a useful support for the project documents visualization, for the documents manipulations and annotations. Also, it is a valuable support to more democratic manipulations of the project documents and to decision-making. However, user feedback suggests several categories for further improvements of the support and its adaptation to AEC project review. Among the key suggestions are: the need for a simple and adapted to particular use cases touch-

interactions interface to manipulate and annotate 3D and 4D models; the need for automatic documentation of collaboration results and their integration into the model structure; the need for an augmented sketching precision; the need for a further integration of the table into a collaboration system connected to a cloud. The further improvements will be integrated into a prototype for a new collaborative 4D-based decision-making device by 4D Collab research project team.

Acknowledgements

This study was developed under the patronage of “Agence Nationale de la Recherche” No.ANR-16-CE10-0006-02 (FR) and “Fonds National de la Recherche” (LU), as a part of 4D Collab research project. Authors acknowledge Wood Challenge teams for participation and Immersion for technical support.

References (Arial 15pt, Bold, Centered)

- Achten, H. H. (2002). *Requirements for Collaborative Design in Architecture*. In H. Timmermans (Ed.), *Part one: Architecture Proceedings Avegoor, the Netherlands* (Vol. 1). Ellecom. doi:<http://papers.cumincad.org/data/works/att/ddssar0201.content.pdf>
- Bangor, A., Kortum, P., & Miller, J. (2009). Determining What Individual SUS Scores Mean: Adding an Adjective Rating Scale. *Journal of Usability Studies*, 4(3), 114–123. Retrieved from http://uxpajournal.org/wp-content/uploads/sites/8/pdf/JUS_Bangor_May2009.pdf
- Brooke, J. (1996). *SUS - A quick and dirty usability scale*. In P. W. Jordan, B. Thomas, I. L. McClelland, & B. Weerdmeester (Eds.), *Usability Evaluation in Industry* (pp. 189–194). London, UK: Taylor & Francis. Retrieved from <http://hell.meiert.org/core/pdf/sus.pdf>
- Brooke, J. (2013). SUS: A Retrospective. *Journal of Usability Studies*, 8(2), 29–40. Retrieved from http://www.usabilityprofessionals.org/upa_publications/jus/2013february/brooke1.html%5Cnhttp://www.usability.gov/how-to-and-tools/methods/system-usability-scale.html
- Carter, S. M., & West, M. A. (1998). Reflexivity, Effectiveness, and Mental Health in BBC-TV Production Teams. *Small Group Research*, 29(5), 583–601. doi:10.1177/1046496498295003
- Kensek, K. M. (2014). *Building Information Modeling* (First edit). Abingdon: Routledge.
- Oxman, R. (2008). Digital architecture as a challenge for design pedagogy: theory, knowledge, models and medium. *Design Studies*, 29(2), 99–120. doi:10.1016/j.destud.2007.12.003
- Pikas, E., Sacks, R., & Hazzan, O. (2013). Building Information Modeling Education for Construction Engineering and Management. I: Industry Requirements, State of the Art, and Gap Analysis. *Journal of Construction Engineering and Management*, 139(11), 05013002. doi:10.1061/(ASCE)CO.1943-7862.0000765
- Sauro, J., & Lewis, J. R. (2011). *When designing usability questionnaires, does it hurt to be positive?* In *Proceedings of the 2011 annual conference on Human factors in computing systems - CHI '11* (p. 2215). New York, New York, USA: ACM Press. doi:10.1145/1978942.1979266
- Staub-French, S., & Khanzode, A. (2007). 3D and 4D modeling for design and construction coordination: issues and lessons learned. *ITcon*, Vol. 12(September 2006), pg. 381-407. Retrieved from <http://www.itcon.org/2007/26>
- Tory, M., Staub-French, S., Po, B. A., & Wu, F. (2008). Physical and digital artifact-mediated coordination in building design. *Computer Supported Cooperative Work*, 17(4), 311–351. doi:10.1007/s10606-008-9077-4
- Venkatesh, V., & Bala, H. (2008). Technology Acceptance Model 3 and a Research Agenda on Interventions. *Decision Sciences*, 39(2), 273–315. doi:10.1111/j.1540-5915.2008.00192.x